

Obesity in children - causes

Australian children are growing fatter at a rapid rate. The number of overweight children has doubled in recent years. Causes of obesity in children include unhealthy food choices, lack of physical activity and family eating habits.

This rise in the number of overweight children is disturbing because it causes health problems and can lead to social problems, as overweight children are more likely to be teased by their peers. Once children are overweight, it also requires a lot of effort and commitment for them to return to a healthy weight.

Overweight and obesity in children are among the most important risks to children's long and short-term health. Overweight children are very likely to become overweight adults.

Risk factors for childhood obesity

Your body stores unused energy (kilojoules) as body fat. To maintain a healthy weight, you need to use the energy from the foods you eat. If you eat more than you use, your body will store the extra energy as fat. The factors that may cause children to become overweight and obese include:

- **Food choices** – such as choosing high fat and sugary foods instead of healthier options.
- **Lack of physical activity** – Australian children are less active than they were in the past.
- **Spending a lot of time on sedentary pursuits** – Australian children watch, on average, around 2½ hours of television a day, as well as spending time using computers and other electronic games. It seems that these pastimes are replacing active ones.
- **Overweight parents** – a family's eating patterns can have a major influence on whether children maintain a healthy weight. Some overweight parents may be less concerned about their children also being overweight than parents who have a healthy weight.
- **Genetics** – some rare gene disorders cause severe childhood obesity, while other genes acting together probably make some children more susceptible to obesity. If there is a family tendency to become overweight, parents need to be even more aware of making healthy food choices for the whole family.

A worldwide problem

Levels of childhood obesity are increasing at alarming rates in many countries, including the United States, the United Kingdom and Australia. In Australia, one in five children and adolescents are either overweight or obese.

From 1985 to 1995 the number of overweight 7–15 year olds almost doubled. The numbers of obese children has more than tripled. At the current rate, it is predicted that 65 per cent of young Australians will be overweight or obese by 2020.

Changing society has contributed to obesity

As overweight and obesity have become more common, there have been some major changes in how we live. These changes have led to people either eating more or being less active, and have all contributed to an increase in overweight and obesity. For example:

- The overall cost of food has gone down.
- More food is prepared away from home.
- Energy-dense foods and drinks are more readily available.
- Portion sizes of energy-dense foods have increased.
- Marketing of energy-dense foods and drinks has increased.
- The use of private transport has increased.
- The number of two-income families has increased.
- The time spent in paid employment has increased.
- The role of physical education in the school curriculum has reduced.

Health problems associated with obesity

Most of the health problems associated with obesity tend to develop in adulthood. Potential future health problems for obese children include:

- Type 2 diabetes – while it's most commonly diagnosed in adults, it is now also being diagnosed in children
- Eating disorders such as bulimia
- Orthopaedic disorders – problems with foot structure
- Liver problems
- Respiratory disorders, such as blocked airways and restrictions in the chest wall, which cause breathlessness when you exercise or exert yourself
- Sleep apnoea – this is a condition which causes difficulty breathing when you're sleeping. It also causes snoring, waking often and poor sleep. It makes people feel tired and contributes to poor concentration during the day
- Cardiomyopathy – a problem with the heart muscle, caused when extra effort is needed to pump blood.

Obesity in childhood leads to obesity in adulthood

Overweight or obese children are more likely to remain obese as adolescents and become overweight or obese adults. About 80 per cent of obese adolescents will become obese adults.

Social problems for obese children and adolescents

Obesity can have a major impact on how children feel about themselves and how they interact with others. Obese adolescents are more likely to have low self-esteem, which may impact on other aspects of their lives such as the development of friendships and competency at school.

Being obese as a child or adolescent increases the risk of a range of diseases and disorders in adulthood, regardless of whether the adult is obese or not. It's important to identify and start to reverse the condition before children become adults. Ideally, overweight and obesity should be prevented.

Where to get help

- An accredited practising dietitian, contact the Dietitians Association of Australia
- Nutritionist
- Your doctor
- 'Go for your life' Infoline Tel. 1300 739 899

Things to remember

- Lifestyle and diet changes have contributed to increasing obesity rates in children and this is where changes need to be made to help children maintain a healthy weight.
- Obesity can result in serious health problems in childhood and later life.
- Children who are obese tend to become obese adults.

This page has been produced in consultation with, and approved by:

Royal Children's Hospital - Nutrition Department

Copyright © 1999/2009 State of Victoria. Reproduced from the Better Health Channel (www.betterhealth.vic.gov.au) at no cost with permission of the Victorian Minister for Health. Unauthorised reproduction and other uses comprised in the copyright are prohibited without permission.

- This Better Health Channel fact sheet has passed through a rigorous approval process. For the latest updates and more information visit www.betterhealth.vic.gov.au.