

---

## Menstrual cycle

---

### Summary

- The menstrual cycle is complex and controlled by many different glands and the hormones that these glands produce.
  - The four phases of the menstrual cycle are menstruation, the follicular phase, ovulation and the luteal phase.
  - Common menstrual problems include heavy or painful periods and premenstrual syndrome (PMS).
  - Knowing when in the menstrual cycle a woman is most likely to conceive can increase the chance of pregnancy.
- 

The average length of the menstrual cycle is 28–29 days, but this can vary between women and from one cycle to the next. The length of your menstrual cycle is calculated from the first day of your period to the day before your next period starts.

Girls get their first period (menarche), on average, between the ages of 11 and 14 years. By this stage, other sexual characteristics have developed, such as pubic hair and budding breasts.

### Hormones and the menstrual cycle

The menstrual cycle is complex and is controlled by many different glands and the hormones that these glands produce. A brain structure called the hypothalamus causes the nearby pituitary gland to produce certain chemicals, which prompt the ovaries to produce the sex hormones oestrogen and progesterone.

The menstrual cycle is a biofeedback system, which means each structure and gland is affected by the activity of the others.

### Phases of the menstrual cycle

The four main phases of the menstrual cycle are:

- menstruation
- the follicular phase
- ovulation
- the luteal phase.

### Menstruation

Menstruation is the elimination of the thickened lining of the uterus (endometrium) from the body through the vagina. Menstrual fluid contains blood, cells from the lining of the uterus (endometrial cells) and mucus. The average length of a period is between three days and one week.

Sanitary pads or tampons are used to absorb the menstrual flow. Both pads and tampons need to be changed regularly (at least every four hours). Using tampons has been associated with an increased risk of a rare illness called **toxic shock syndrome (TSS)**.

### Follicular phase

The follicular phase starts on the first day of menstruation and ends with ovulation. Prompted by the hypothalamus, the pituitary gland releases follicle stimulating hormone (FSH). This hormone stimulates the ovary to produce around five to 20 follicles (tiny nodules or cysts), which bead on the surface.

Each follicle houses an immature egg. Usually, only one follicle will mature into an egg, while the others die. This can occur around day 10 of a 28-day cycle. The growth of the follicles stimulates the lining of the uterus to thicken in preparation for possible pregnancy.

---

## Ovulation

Ovulation is the release of a mature egg from the surface of the ovary. This usually occurs mid-cycle, around two weeks or so before menstruation starts.

During the follicular phase, the developing follicle causes a rise in the level of oestrogen. The hypothalamus in the brain recognises these rising levels and releases a chemical called gonadotrophin-releasing hormone (GnRH). This hormone prompts the pituitary gland to produce raised levels of luteinising hormone (LH) and FSH.

Within two days, ovulation is triggered by the high levels of LH. The egg is funnelled into the fallopian tube and toward the uterus by waves of small, hair-like projections. The life span of the typical egg is only around 24 hours. Unless it meets a sperm during this time, it will die.

When you want to have a baby you can improve your chance of getting pregnant if you know about ovulation and the 'fertile window' in the menstrual cycle. Read more on [\*\*ovulation and fertility window\*\*](#).

## Luteal phase

During ovulation, the egg bursts from its follicle, but the ruptured follicle stays on the surface of the ovary. For the next two weeks or so, the follicle transforms into a structure known as the corpus luteum. This structure starts releasing progesterone, along with small amounts of oestrogen. This combination of hormones maintains the thickened lining of the uterus, waiting for a fertilised egg to stick (implant).

If a fertilised egg implants in the lining of the uterus, it produces the hormones that are necessary to maintain the corpus luteum. This includes human chorionic gonadotrophin (HCG), the hormone that is detected in a urine test for pregnancy. The corpus luteum keeps producing the raised levels of progesterone that are needed to maintain the thickened lining of the uterus.

If pregnancy does not occur, the corpus luteum withers and dies, usually around day 22 in a 28-day cycle. The drop in progesterone levels causes the lining of the uterus to fall away. This is known as menstruation. The cycle then repeats.

## Common menstrual problems

Some of the more common menstrual problems include:

- **premenstrual syndrome (PMS)** – hormonal events before a period can trigger a range of side effects in women at risk, including fluid retention, headaches, fatigue and irritability. Treatment options include exercise and dietary changes
- **dysmenorrhoea** – or painful periods. It is thought that the uterus is prompted by certain hormones to squeeze harder than necessary to dislodge its lining. Treatment options include pain-relieving medication and the oral contraceptive pill
- **heavy menstrual bleeding** (previously known as menorrhagia) – if left untreated, this can cause anaemia. Treatment options include oral contraceptives and a hormonal intrauterine device (IUD) to regulate the flow
- **amenorrhoea** – or absence of menstrual periods. This is considered abnormal, except during pre-puberty, pregnancy, lactation and postmenopause. Possible causes include low or high body weight and excessive exercise.

## Where to get help

- Your **GP (doctor)**
- **Gynaecologist**
- **Family Planning Victoria** Tel. **(03) 9257 0100** or freecall **1800 013 952**

**This page has been produced in consultation with and approved by:**

Jean Hailes for Women's Health

Content on this website is provided for information purposes only. Information about a therapy, service, product or treatment does not in any way endorse or support such therapy, service, product or treatment and is not intended to replace advice from your doctor or other registered health professional. The information and materials contained on this website are not intended to constitute a comprehensive guide concerning all aspects of the therapy, product or treatment described on the website. All users are urged to always seek advice from a registered health care professional for diagnosis and answers to their medical questions and to ascertain whether the particular therapy, service, product or treatment described on the website is suitable in their circumstances. The State of Victoria and the Department of Health & Human Services shall not bear any liability for reliance by any user on the materials contained on this website.

For the latest updates and more information, visit [www.betterhealth.vic.gov.au](http://www.betterhealth.vic.gov.au)

**Copyright © 1999/2020** State of Victoria. Reproduced from the Better Health Channel ([www.betterhealth.vic.gov.au](http://www.betterhealth.vic.gov.au)) at no cost with permission of the Victorian Minister for Health. Unauthorised reproduction and other uses comprised in the copyright are prohibited without permission.