

Contraception information translated into community languages



Using contraception can help you prevent becoming pregnant. Different methods may suit you at different times in your life.

Contraception choices in Australia

An overview of the methods of contraception available in Australia is presented in this fact sheet.

- **Amharic** - [\(pdf\)](#)
- **Dari** - translations with pictures - [روش های ضد حاملگی در استرالیا \(pdf\)](#)
- **English** ([word](#))
- **English** - with pictures ([word](#))
- **Hakha Chin** - translations with pictures - [Australia ah naupawi kham ning pawl \(pdf\)](#)
- **Harari** - [Awisrâliya bâdbe Almawladle yitkhatarbozâlach ugâch\(pdf\)](#)
- **Karen** [ကညီကိုင် \(pdf\)](#)
- **Nuer (Thok Naath)** ([pdf](#))
- **Oromo** [ግግግግ\(pdf\)](#)
- **Somali (af Soomaali / آف صومالي)** ([pdf](#))
- **Tigrinya** ([pdf](#))

Long acting reversible contraception (LARC) methods

LARC methods provide temporary, safe, most cost-effective contraception which can last from 3 and up to 10 years depending on the type. They include the intrauterine device and the contraceptive implant.

- **Amharic** - [\(pdf\)](#)
- **English** ([word](#))
- **Harari** - [Gudor waqtile yitniwawaxizal almawladle yitnafabozal ugâch \(pdf\)](#)
- **Karen** [ကညီကိုင် \(pdf\)](#)
- **Nuer (Thok Naath)** ([pdf](#))
- **Oromo** [ግግግግ\(pdf\)](#)
- **Somali (af Soomaali / آف صومالي)** ([pdf](#))
- **Tigrinya** ([pdf](#))

Medium acting and short acting contraception methods

Medium acting methods last over a period of weeks or months and include the contraceptive injection and the vaginal ring. Short acting methods are taken every day and include the combined contraceptive pill and the mini pill.

- **Amharic** - [\(pdf\)](#)

- English ([word](#))
- Harari - mabeyna dilâgâchso wâ hacir waqtibe yitkhâtarbozal ugâch([pdf](#))
- Karen ကညီကျိန် ([pdf](#))
- Nuer (Thok Naath) ([pdf](#))
- Oromo ግግግግ([pdf](#))
- Somali (af Soomaali / آف صۆمالي) ([pdf](#))
- Tigrinya ([pdf](#))

Barrier methods of contraception

They include the male and female condom and the diaphragm.

- Amharic - ([pdf](#))
- English ([word](#))
- Harari - Mawladuw yitkhatarbozal ugâch ([pdf](#))
- Karen ကညီကျိန် ([pdf](#))
- Nuer (Thok Naath) ([pdf](#))
- Oromo ግግግግ([pdf](#))
- Somali (af Soomaali / آف صۆمالي) ([pdf](#))
- Tigrinya ([pdf](#))

Emergency contraception methods

These include a pill which is taken up to five days after unprotected sex to reduce the chance of becoming pregnant, or having an intrauterine device fitted within five days of unprotected sex.

- Amharic - ([pdf](#))
- English ([word](#))
- Harari - Dingatagnale waqtile Almawladle yitkhatarbozal ugâch ([pdf](#))
- Karen ကညီကျိန် ([pdf](#))
- Nuer (Thok Naath) ([pdf](#))
- Oromo ግግግግ([pdf](#))
- Somali (af Soomaali / آف صۆمالي) ([pdf](#))
- Tigrinya ([pdf](#))

If you would like this information in an accessible format, please email: betterhealthchannel@dhhs.vic.gov.au

This page has been produced in consultation with and approved by:

Department of Health and Human Services

Content on this website is provided for information purposes only. Information about a therapy, service, product or treatment does not in any way endorse or support such therapy, service, product or treatment and is not intended to replace advice from your doctor or other registered health professional. The information and materials contained on this website are not intended to constitute a comprehensive guide concerning all aspects of the therapy, product or treatment described on the website. All users are urged to always seek advice from a registered health care professional for diagnosis and answers to their medical questions and to ascertain whether the particular therapy, service, product or treatment described on the website is suitable in their circumstances. The State of Victoria and the Department of Health & Human Services shall not bear any liability for reliance by any user on the materials contained on this website.

For the latest updates and more information, visit www.betterhealth.vic.gov.au

Copyright © 1999/2020 State of Victoria. Reproduced from the Better Health Channel (www.betterhealth.vic.gov.au) at no cost with permission of the Victorian Minister for Health. Unauthorised reproduction and other uses comprised in the copyright are prohibited without permission.