
Libido

Summary

- Sex drive varies a lot from one person to the next and even for the same person, depending on what they prefer and their life circumstances.
 - If a couple is having problems in other areas of their relationship, their sex life may be affected.
 - Some medical conditions and medication can affect a person's desire for sex.
 - Treatment for a lessened libido can include treating any underlying medical condition, hormone therapy, stress management and counselling.
-

Libido, which means sex drive or the desire for sex, varies dramatically from one person to the next. It also varies depending on a person's preferences and life circumstances. Libido can be affected by medical conditions, hormone levels, medications, lifestyle and relationship problems.

Many new couples will go through an early period of having a lot of sex that slows down over time. On the other hand, a busy life can leave some people too tired or preoccupied to even think about sex. Unless you are worried about your sex drive or it is causing problems between you and your partner, you do not need to seek professional help.

There is no 'normal' libido

There is no 'normal' when it comes to how often you have sex. Some people have sex (or feel like having sex) every day, others may have sex once a year or not at all. It all depends on what you prefer and your life circumstances.

Reasons for a lessened libido

As well as medical conditions and the side effects of some medications, there are a number of other reasons for a lessened sex drive, including:

- Performance anxiety – premature ejaculation or painful sex can make a person avoid sex out of fear that it could happen again.
 - Fatigue – feeling too tired for sex is common.
 - Lack of time and privacy – the demands of work and home life may not leave enough time for intimacy and sex.
 - Familiarity – a couple's desire for sex tends to lessen over time.
 - Sexual incompatibility – sexual desire can be affected if a person constantly wants more sex than their partner or wants a type of sexual activity that their partner is not comfortable with.
 - Sexual turn-offs – sexual attraction to your partner may lessen if there are changes in their physical appearance, such as excessive weight gain.
 - Depression – can cause tiredness, lack of motivation, feeling sad and withdrawing from activities, including sex.
 - Stress – researchers have found stress hormones can lessen sexual desire and response.
 - Exercise – either too much or too little can cause a loss of sex drive.
 - Traumatic experience – such as sexual harassment, sexual abuse or rape, can lessen sexual desire.
-

Relationship issues and libido

A reduced sex drive may also be caused by relationship problems. If a couple is having problems in other areas of their relationship, their sex life may be affected.

If a couple is not satisfied with their sex life, they can seek professional counselling to:

- learn communication skills to improve the overall quality of the relationship
- try to resolve underlying problems, such as tension
- learn how to increase intimacy and physical affection without having sex
- learn different sexual techniques
- talk about sexual desires and fantasies together
- learn strategies to boost sex drive, such as masturbating and fantasising.

Health issues affecting libido

A reduced sex drive can be a side effect of some medication. For example, some antidepressants have a known side effect of lowering libido. Some women feel they have less interest in sex when taking contraceptives that contain hormones, such as the pill.

Some physical illnesses and medical conditions can cause a loss of sex drive, including anaemia, kidney failure, hypothyroidism (underactive thyroid gland) and depression.

If you are worried about the effect of medication on your sex drive, you can talk to a doctor about changing medication or trying alternative options.

Conditions affecting female libido

Some of the medical conditions that can cause a woman's sex drive to lessen include:

- menopause – because of the drop in sex hormones
- dyspareunia – painful sex
- vaginismus – the involuntary (not under the woman's conscious control) clamping of the vaginal muscles, making penetration difficult, if not impossible
- pregnancy, childbirth and breastfeeding – because of changes in hormone levels, especially the hormone prolactin
- infections – such as thrush or urinary tract infections
- problems reaching orgasm – the woman cannot reach orgasm or reach it within the time wanted by her and her partner.

Conditions affecting male libido

Some of the medical conditions that can cause a man's sex drive to lessen include:

- male menopause – as a man ages, his testosterone levels slowly fall, which some researchers think is linked to a lessened libido
- impotence – not being able to achieve or maintain an erection needed for sex
- premature ejaculation – a lack of control over ejaculation, causing it to happen sooner than the man or his partner would want
- retarded ejaculation – not being able to reach orgasm.

Diagnosis of loss of libido

If you have lost interest in sex for no apparent reason, a doctor can help find the cause by carrying out a range of

tests, including:

- physical examination
- medical history
- blood tests.

Treatment for loss of libido

Treatment for a lessened sex drive depends on the cause, but can include:

- treatment for any underlying medical condition, such as depression (although a side effect of some antidepressants is a lessened libido)
- counselling
- stress management
- hormone therapy.

Where to get help

- Your doctor
- Sex therapist
- Psychologist
- Gynaecologist
- Urologist

Things to remember

- Sex drive varies a lot from one person to the next and even for the same person, depending on what they prefer and their life circumstances.
- If a couple is having problems in other areas of their relationship, their sex life may be affected.
- Some medical conditions and medication can affect a person's desire for sex.
- Treatment for a lessened libido can include treating any underlying medical condition, hormone therapy, stress management and counselling.

This page has been produced in consultation with and approved by:

Family Planning Victoria

Content on this website is provided for information purposes only. Information about a therapy, service, product or treatment does not in any way endorse or support such therapy, service, product or treatment and is not intended to replace advice from your doctor or other registered health professional. The information and materials contained on this website are not intended to constitute a comprehensive guide concerning all aspects of the therapy, product or treatment described on the website. All users are urged to always seek advice from a registered health care professional for diagnosis and answers to their medical questions and to ascertain whether the particular therapy, service, product or treatment described on the website is suitable in their circumstances. The State of Victoria and the Department of Health & Human Services shall not bear any liability for reliance by any user on the materials contained on this website.

For the latest updates and more information, visit www.betterhealth.vic.gov.au

Copyright © 1999/2018 State of Victoria. Reproduced from the Better Health Channel (www.betterhealth.vic.gov.au) at no cost with permission of the Victorian Minister for Health. Unauthorised reproduction and other uses comprised in the copyright are prohibited without permission.