

## Brain tumours - gliomas

Gliomas are brain tumours associated with the three types of glial cells in the brain, which include astrocytes, oligodendrocytes and the ependymal cells. Glial cells make up the supportive tissue of the brain and, unlike neurons, don't conduct electrical impulses.

If left untreated, any type of glioma may grow and press on other structures within the brain. Pressure on the brain can be harmful as it forces the brain against the skull, causing damage to the brain and hampering its ability to function properly. This reduced function can lead to long-lasting brain damage or, if left untreated, death.

### Symptoms

The symptoms of glioma depend on the size, grade and location of the glioma, but can include:

- Headaches
- Nausea
- Vomiting
- Drowsiness
- Seizures
- Changes in personality
- Memory loss
- Changes in speech
- Weakness or loss of feeling in limbs
- Walking difficulties
- Vision changes
- Abnormal eye movements.

### Glial cells explained

Glial cells make up the supportive tissue of the brain. The three types of glial cell are:

- **Astrocytes** – these cells regulate brain activity and control the movement of blood to the brain. They are star-shaped, hence their name 'astro'.
- **Oligodendrocytes** – these cells produce the myelin sheath. This protective sheath surrounds the nerve fibres in the brain and spinal cord, and helps conduct messages along the nerves.
- **Ependymal cells** – these cells line the internal (ventricular) walls of the fluid spaces located inside the brain canal and spinal cord.

### Gliomas explained

Gliomas refer to tumours that can originate in glial cells and include:

- **Astrocytomas** – tumours that originate in the astrocytes and make up about 25–30 per cent of all gliomas. Astrocytomas can occur anywhere within the brain and are often cystic (cyst-forming).
- **Oligodendrogliomas** – tumours of the oligodendrocytes, which can occur anywhere there is myelin sheath. This type of tumour is most common in men between 35–40 years of age.
- **Ependymomas** – usually benign and lower grade tumours. However, they can sometimes grow and spread rapidly via the pathways that carry the cerebrospinal fluid. Ependymomas are more common in adolescent males.

## Gliomas are graded

Gliomas are graded according to how malignant (cancerous) they are. Classifications developed by the World Health Organization (WHO) are generally used. These classifications are:

- **Degree of differentiation** – how different the cell looks under a microscope from normal cells.
- **Cellularity or cell division** – how fast the tumour grows.
- **Endothelial or vascular proliferation** – the speed of cell growth and production of new blood vessels.
- **Presence of necrosis** – whether brain cells are dying.

## Grades explained

Infiltrating gliomas are graded according to the following characteristics as seen under the microscope:

- **Grade I** – slow-growing tumours with slowly dividing cells. There is no significant necrosis (cell death) or vascular proliferation (increased blood vessel growth – cancerous tumours create extra blood vessels).
- **Grade II** – slow-growing tumours with more rapidly dividing cells. There is no significant necrosis or vascular proliferation.
- **Anaplastic grade III** – these brain tumours can arise from lower grade gliomas and may develop further into higher grade tumours. They are described as having focal or diffuse areas of high cell division and, therefore, show many dividing nuclei (the small sac within the cell that contains the DNA).
- **Glioblastoma multiforme (GBM) grade IV** – these tumours have similar characteristics to grade III gliomas, but have a higher incidence of vascular proliferation and necrosis. This tumour has an average survival time of only around 12 months.

## Diagnosis

The range of tests used to diagnose glioma include:

- Physical examination
- Medical history
- CT scan
- MRI scan
- Biopsy of the suspect tissue, collected during brain surgery.

## Treatment

Treatment options for gliomas can include:

- **Surgery** – a craniotomy is a procedure performed by a neurosurgeon. A hole is cut into the skull in order to provide access to the brain. This allows a biopsy of the glioma and the opportunity to remove some of the tumour at the same time. After the operation is finished, the bone is replaced and the muscle and skin are stitched.
- **Radiotherapy** – small, precise doses of radiation are used to target and destroy cancer cells.
- **Chemotherapy** – the use of cancer-killing drugs.

In brain tumours, all three treatments are often in combination.

## Where to get help

- Your doctor
- Neurologist
- Neurosurgeon

## Things to remember

- Gliomas are brain tumours that arise from the glial cells of the brain and nervous system.
- Gliomas are categorised as slow growing (grade I and II) or fast growing (grade III and IV).
- Definitive diagnosis can only be determined by a biopsy.

**This page has been produced in consultation with, and approved by:**

Florey Neuroscience Institutes

Content on this website is provided for education and information purposes only. Information about a therapy, service, product or treatment does not imply endorsement and is not intended to replace advice from your doctor or other registered health professional. Content has been prepared for Victorian residents and wider Australian audiences, and was accurate at the time of publication. Readers should note that, over time, currency and completeness of the information may change. All users are urged to always seek advice from a registered health care professional for diagnosis and answers to their medical questions.

For the latest updates and more information, visit [www.betterhealth.vic.gov.au](http://www.betterhealth.vic.gov.au)

**Copyright** © 1999/2012 State of Victoria. Reproduced from the Better Health Channel ([www.betterhealth.vic.gov.au](http://www.betterhealth.vic.gov.au)) at no cost with permission of the Victorian Minister for Health. Unauthorised reproduction and other uses comprised in the copyright are prohibited without permission.